Index by Author

Vols. 3-4

Alaranta, H, MD; Kinnunen, A, CPO; Karkkainen, M, MS; Pohjolainen, T, MD; Heliovaara, M. Practical benefits of Flex-Foot™ in below-knee amputees. 1991; 3:4:179-81.

Bähler, André. Fundamental biomechanical principles in the orthotic treatment of the knee. 1992;4:3:157-65.

Banziger, Eugene, CPO(c). Technical note: thermoplastic Klenzak AFO. 1992;4:4:219-22.

Barth, Daryl G, BS, CPO; Schumacher, Laura, BS, CP; Thomas, Susan Sienko, BS. Gait analysis and energy cost of below-knee amputees wearing six different prosthetic feet. 1992;4:2:63-75.

Baughn, Bill. Caveat emptor? 1992; 4:4: 180-1.

Berke, Gary M, MS, CP; Nielsen, Caroline C, PhD. Establishing parameters affecting the use of myoelectric prostheses in children: a preliminary investigation. 1991;3:4:162-7.

Birke, James A, MS, PT; Novick, Andrew, MA, PT; Hawkins, Elizabeth S, DPM, MPH; Patout, Charles Jr., MD. A review of causes of foot ulceration in patients with diabetes mellitus. 1991;4:1:13-22.

Bowker, John H, MD. Medical and surgical considerations in the care of patients with insensate dysvascular feet. 1991;4:1:23-30.

Brant, James E, BS, CO(c). Technical note: a device to assist in the alignment and finishing of the Syme's prosthesis. 1991;3:2:100-5.

Brenner, Carl D, CPO. Electronic limbs for infants and pre-school children. 1992; 4:4:184-90.

Cappa, Anthony J, BS, CPO. The below-knee bypass prosthesis. 1992;4:3:166-70.

Carlson, J Martin, CPO; Hollerbach, Fran, CO; Day, Bruce. A calf corset weightbearing ankle-foot orthosis design. 1991;4:1:31-40.

Carlson, Lawrence E, DEng; Radocy, Bob, MS; Marschall, Peter D, MBA. Spectron 12 cable for upper-limb prostheses. 1991; 3:3:130-41.

Childs, Steven R; Childs, Charles W, CPO. Technical note: technique for setting up static alignment and permanent attachment of the Syme's-type foot. 1991;3:3:142-4.

Clover, William Jr. Lower extremity thermoplastics: an overview. 1990;3:1:9-13.

Conry, Mark A, CPO. Orthomedics fracture bracing at LA County USC Medical Center. 1992;4:3:151-6.

Cummings, Donald R, CP; Kapp, Susan L, CP. Lower-limb pediatric prosthetics: general considerations and philosophy. 1992; 4:4:196-206.

Dietzen, Charles J, MD; Harshberger, Jerald, CP; Pidikiti, Rama D, MD. Suction sock suspension for above-knee prostheses. 1991;3:2:90-3.

Dillon, Stephen S. New technology and the status quo. 1992;4:4:178-80.

Draper, David O, EdD, ATC. A comparison of shoe inserts to taping for painful arches. 1991;3:2:84-9.

Elftman, Nancy, CO. Clinical management of the neuropathic limb. 1991;4:1:1-12.

Index by Author

Vols. 3-4

Alaranta, H, MD; Kinnunen, A, CPO; Karkkainen, M, MS; Pohjolainen, T, MD; Heliovaara, M. Practical benefits of Flex-Foot™ in below-knee amputees. 1991; 3:4:179-81.

Bähler, André. Fundamental biomechanical principles in the orthotic treatment of the knee. 1992;4:3:157-65.

Banziger, Eugene, CPO(c). Technical note: thermoplastic Klenzak AFO. 1992;4:4:219-22.

Barth, Daryl G, BS, CPO; Schumacher, Laura, BS, CP; Thomas, Susan Sienko, BS. Gait analysis and energy cost of below-knee amputees wearing six different prosthetic feet. 1992;4:2:63-75.

Baughn, Bill. Caveat emptor? 1992; 4:4: 180-1.

Berke, Gary M, MS, CP; Nielsen, Caroline C, PhD. Establishing parameters affecting the use of myoelectric prostheses in children: a preliminary investigation. 1991;3:4:162-7.

Birke, James A, MS, PT; Novick, Andrew, MA, PT; Hawkins, Elizabeth S, DPM, MPH; Patout, Charles Jr., MD. A review of causes of foot ulceration in patients with diabetes mellitus. 1991;4:1:13-22.

Bowker, John H, MD. Medical and surgical considerations in the care of patients with insensate dysvascular feet. 1991;4:1:23-30.

Brant, James E, BS, CO(c). Technical note: a device to assist in the alignment and finishing of the Syme's prosthesis. 1991;3:2:100-5.

Brenner, Carl D, CPO. Electronic limbs for infants and pre-school children. 1992; 4:4:184-90.

Cappa, Anthony J, BS, CPO. The below-knee bypass prosthesis. 1992;4:3:166-70.

Carlson, J Martin, CPO; Hollerbach, Fran, CO; Day, Bruce. A calf corset weightbearing ankle-foot orthosis design. 1991;4:1:31-40.

Carlson, Lawrence E, DEng; Radocy, Bob, MS; Marschall, Peter D, MBA. Spectron 12 cable for upper-limb prostheses. 1991; 3:3:130-41.

Childs, Steven R; Childs, Charles W, CPO. Technical note: technique for setting up static alignment and permanent attachment of the Syme's-type foot. 1991;3:3:142-4.

Clover, William Jr. Lower extremity thermoplastics: an overview. 1990;3:1:9-13.

Conry, Mark A, CPO. Orthomedics fracture bracing at LA County USC Medical Center. 1992;4:3:151-6.

Cummings, Donald R, CP; Kapp, Susan L, CP. Lower-limb pediatric prosthetics: general considerations and philosophy. 1992; 4:4:196-206.

Dietzen, Charles J, MD; Harshberger, Jerald, CP; Pidikiti, Rama D, MD. Suction sock suspension for above-knee prostheses. 1991;3:2:90-3.

Dillon, Stephen S. New technology and the status quo. 1992;4:4:178-80.

Draper, David O, EdD, ATC. A comparison of shoe inserts to taping for painful arches. 1991;3:2:84-9.

Elftman, Nancy, CO. Clinical management of the neuropathic limb. 1991;4:1:1-12.

Faso, Dwain R, CO; Stills, Melvin, CO. The use of synthetic casting materials in obtaining circumferential impressions. 1991; 3:2:55-8.

Field, Martha, MS. Technical note: new sterilization procedures for post-operative socks. 1991;3:3:145-6.

Haberman, Louis J, CPO; Bedotto, Robert A, CPO, LPT; Colodney, Ellen J, MD. Silicone-only suspension (sos) for the above-knee amputee. 1992;4:2:76-85.

Hale, SA, MS, CO. The effect of walking speed on the joint displacement patterns and forces and moments acting on the above-knee amputee prosthetic leg. 1991;3:2:59-78.

Hamby, William D, RAO; Broom, Richard A, CPO; Olejnik, Stephen, PhD. Technical note: adaptor for aligning the Quantum foot to an exoskeletal prosthesis. 1991;3:3:147-9.

Imler, Clarence, CP; Quigley, Michael, CPO. A technique for thermoforming hip disarticulation prosthetic sockets. 1990; 3:1:34-7.

Kempfer, Joel J, CP. Technical note: lightweight hip disarticulation prosthesis. 1990; 3:1:41-2.

Kempfer, Joel J, CP. Technical note: thermoplastic use in the geriatric knee-disarticulation prosthesis. 1990;3:1:38-40.

Lange, Lawrence R, CPO. The Lange silicone partial-foot prosthesis. 1991;4:1:56-62.

Leal, Joseph M, CP. Ultra-lite multiplex Mark V modular system utilizing the ultra-lite retainer kit. 1990;3:1:26-33.

Lévesque, Claude, CM, CP(c); Gauthier-Gagnon, Christine, MS(a); Beauregard, Mario, BS. An endoskeletal hip disarticulation prosthesis for the toddler. 1991;3:3:120-4.

Locke, S, CPO(c); Smith, S, CP(c); Szeliski-Scott, B, BS; Lemaire, ED, MS. A clear polycarbonate face mask for the treatment of hypertrophic scars. 1991;3:4:182-90.

Macfarlane, Pamela A, PhD; Nielsen, David H, LPT, PhD; Shurr, Donald G, LPT, CO; Meier, Kenneth, CP. Gait comparisons for below-knee amputees using a Flex-Foot™ versus a conventional prosthetic foot. 1991;3:4:150-61.

Macfarlane, Pamela A, PhD; Nielsen, David H, LPT, PhD; Shurr, Donald G, LPT, CO; Meier, Kenneth, CP. Perception of walking difficulty by below-knee amputees using a conventional foot versus the Flex-Foot™. 1991;3:3:114-9.

Madden, Michael. Fabricating the spiral and hemi-spiral orthosis using a composite lay-up technique. 1991;3:2:94-9.

Michael, John W, MEd, CPO; Isbell, Max A, PA-C; Harrelson, John M, MD. Orthotic management of diabetic neuropathic arthropathy. 1991;4:1:45-55.

Michael, John W, MEd, CPO. The progress of science. 1992;4:4:177.

Moretto, David F, BS, CP; Minkel, Jean L, MS, PT; Cardi, Mary D, MS, PT. Prosthetic/orthotic management after recent hemipelvectomy for a myelomeningocele patient. 1992;4:2:93-102.

Mueller, Karen, MS, PT; Cornwall, Mark, PhD, PT; McPoil, Thomas, PhD, PT; Mueller, David, PT, CPO; Barnwell, Jane, MD. Effect of a tone-inhibiting dynamic ankle-foot orthosis on the foot-loading pattern of a hemiplegic adult: a preliminary study. 1992;4:2:86-92.

Nielsen, Caroline C, PhD. A survey of amputees: functional level and life satisfaction, information needs and the prosthetist's role. 1991;3:3:125-9.

Novick, Andrew, MA, PT; Birke, James A, MS, PT; Graham, Sandra L, MS, PT; Koziatek, Edward, PT. Effect of a walking splint and total contact casts on plantar forces. 1991;3:4:168-78.

Novick, Andrew, MA, PT; Birke, James A,

MS, PT; Hoard, Alicia S, OTR; Brasseaux, Denise M, PT; Broussard, John B, PT; Hawkins, Elizabeth S, DPM, MPH. Rigid orthoses for the insensitive foot: the "rigid-relief" orthosis. 1991;4:1:31-40.

Novotny, Mary, MS, RN; Swagman, Ann, MPH, CPNP, RN. Caring for children with orthotic/prosthetic needs. 1992;4:4:191-5.

Price, Art E, CPO. Technical note: interchangeable feet. 1991;3:4:201-5.

Pritham, Charles H, CPO. Thermoplastics in lower-extremity prosthetics: equipment, components and techniques. 1990;3:1:14-21.

Procter, Susan, OTR; LeBlanc, Maurice, MSME, CP. Clinical evaluation of a new design prosthetic prehensor. 1991;3:2:79-83.

Putzi, Robert, CPO. Myoelectric partial-hand prosthesis. 1992;4:2:103-8.

Racette, Walter L, CPO. Clinical experience with functional fracture bracing of the tibial diaphysis. 1992;4:3:142-50.

Rosenberg, Richard J, CPO; Terry, Robert. Use of copolymer for interfaces in all levels of prosthetic applications. 1990;3:1:22-5.

Rothschild, Vernon R, CPO; Fox, John R, CO; Michael, John W, MEd, CPO; Rothschild, Russell J, BS; Playfair, George. Clinical experience with total thermoplastic lower-limb prostheses. 1990;3:1:51-4.

Ryan, Steve, PEng; Belbin, Greg, CO(c); Slack, Mendal, BS, CO(c); Naumann, Stephen, PhD, PEng; Moran, Rod, DDS. Development of a modular design, custom-fitted protective helmet. 1992;4:4:213-8.

Schuch, C Michael, CPO. Thermoplastic applications in lower-extremity prosthetics. 1990;3:1:1-8.

Slack, Mendal, CO(c), BS; Berbrayer, David, MD, FRCP(c). A myoelectrically controlled wrist-hand orthosis for brachial plexus injury: a case study. 1992;4:3:171-4.

Smith, Herbert G, CPO. Technical note: latex bonding of model build-ups. 1992; 4:3:175.

Stills, Melvin, CO; Christensen, Kevin P, MD; Powell, James N, MD; Bucholz, Robert W, MD. Cast bracing biocondylar tibial plateau fractures after combined internal and external fixation. 1991;3:3:106-13.

Svoboda, Jennifer, BS. Psychosocial considerations in pediatrics: use of amputee dolls. 1992;4:4:207-12.

Swanson, Vern M, CP. Technical note: an alternative below-knee ultra-lite technique. 1991;3:4:191-200.

Swanson, Vern M, CP. Technical note: the anatomical above-knee suspension belt. 1992; 4:2:119-25.

Valenti, Thomas G, CO. Experience with Endoflex: a monolithic thermoplastic prosthesis for below-knee amputees. 1990; 3:1:43-50.

Valiquette, Claude, CP(c); Robert, Guy, OT; Audet, Jean, Eng jr. The lateral abductor device. 1992;4:2:109-18.

Zagorski, Joseph B, MD; Zych, Gregory A, DO; Latta, Loren L, PE, PhD; Finnieston, Alan R, CPO. Orthotic design and application for functional treatment of tibial shaft fractures. 1992;4:3:126-41. □

Subject Index

Vols. 3-4

ORTHOTICS – Lower Extremity

Cast bracing biocondylar tibial plateau fractures after combined internal and external fixation. Stills, Melvin, CO; Christensen, Kevin P, MD; Powell, James N, MD; Bucholz, Robert W, MD. 1991;3:3:106-13.

Clinical experience with functional fracture bracing of the tibial diaphysis. Racette, Walter L, CPO. 1992;4:3:142-50.

Orthomedics fracture bracing at LA County USC Medical Center. Conry, Mark A, CPO. 1992;4:3:151-6.

Orthotic design and application for functional treatment of tibial shaft fractures. Zagorski, Joseph B, MD; Zych, Gregory A, DO; Latta, Loren L, PE, PhD; Finnieston, Alan R, CPO. 1992;4:3:126-41.

ORTHOTICS – Lower Extremity: Foot

A comparison of shoe inserts to taping for painful arches. Draper, David O, EdD, ATC. 1991;3:2:84-9.

Effect of a walking splint and total contact casts on plantar forces. Novick, Andrew, MA, PT; Birke, James A, MS, PT; Graham, Sandra L, MS, PT; Koziatek, Edward, PT. 1991;3:4:168-78.

Rigid orthoses for the insensitive foot: the "rigid-relief" orthosis. Novick, Andrew, MA, PT; Birke, James A, MS, PT; Hoard, Alicia S, OTR; Brasseaux, Denise M, PT; Broussard, John B, PT; Hawkins, Elizabeth S, DPM, MPH. 1991;4:1:31-40.

ORTHOTICS – Lower Extremity: Ankle-Foot

A calf corset weightbearing ankle-foot orthosis design. Carlson, J Martin, CPO; Hollerbach, Fran, CO; Day, Bruce. 1991;4:1:31-40.

Effect of a tone-inhibiting dynamic ankle-foot orthosis on the foot-loading pattern of a hemiplegic adult: a preliminary study. Mueller, Karen, MS, PT; Cornwall, Mark, PhD, PT; McPoil, Thomas, PhD, PT; Mueller, David, PT, CPO; Barnwell, Jane, MD. 1992;4:2:86-92.

Technical note: thermoplastic Klenzak AFO. Banziger, Eugene, CPO(c). 1992; 4:4:219-22.

ORTHOTICS – Lower Extremity: Knee

Fundamental biomechanical principles in the orthotic treatment of the knee. Bähler, André. 1992;4:3:157-65.

ORTHOTICS – Upper Extremity

Development of a modular design, custom-fitted protective helmet. Ryan, Steve, PEng; Belbin, Greg, CO(c); Slack, Mendal, BS, CO(c); Naumann, Stephen, PhD, PEng; Moran, Rod, DDS. 1992;4:4:213-8.

ORTHOTICS – Upper Extremity: Wrist-Hand

A myoelectrically controlled wrist-hand orthosis for brachial plexus injury: a case study. Slack, Mendal, CO(c), BS; Berbrayer, David, MD, FRCP(c). 1992;4:3:171-4.

ORTHOTICS – Materials & Methods

A clear polycarbonate face mask for the treatment of hypertrophic scars. Locke, S, CPO(c); Smith, S, CP(c); Szeliski-Scott, B, BS; Lemaire, ED, MS. 1991;3:4:182-90.

Fabricating the spiral and hemi-spiral orthosis using a composite lay-up technique. Madden, Michael. 1991;3:2:94-9.

Technical note: latex bonding of model build-ups. Smith, Herbert G, CPO. 1992; 4:3:175.

The use of synthetic casting materials in obtaining circumferential impressions. Faso, Dwain R, CO; Stills, Melvin, CO. 1991; 3:2:55-8.

ORTHOTICS – Seating Systems

The lateral abductor device. Valiquette, Claude, CP(c); Robert, Guy, OT; Audet, Jean, Eng jr. 1992;4:2:109-18.

ORTHOTICS – Patient Care Management

Caring for children with orthotic/prosthetic needs. Novotny, Mary, MS, RN; Swagman, Ann, MPH, CPNP, RN. 1992;4:4:191-5.

Clinical management of the neuropathic limb. Elftman, Nancy, CO. 1991;4:1:1-12.

Medical and surgical considerations in the care of patients with insensate dysvascular feet. Bowker, John H, MD. 1991;4:1:23-30.

Orthotic management of diabetic neuropathic arthropathy. Michael, John W, MEd, CPO; Isbell, Max A, PA-C; Harrelson, John M, MD. 1991;4:1:45-55.

Prosthetic/orthotic management after recent hemipelvectomy for a myelomeningocele patient. Moretto, David F, BS, CP; Minkel, Jean L, MS, PT; Cardi, Mary D, MS, PT. 1992;4:2:93-102.

A review of causes of foot ulceration in patients with diabetes mellitus. Birke, James A, MS, PT; Novick, Andrew, MA, PT; Hawkins, Elizabeth S, DPM, MPH; Patout, Charles Jr., MD. 1991;4:1:13-22.

PROSTHETICS – Lower Extremity

Clinical experience with total thermoplastic lower-limb prostheses. Rothschild, Vernon R, CPO; Fox, John R, CO; Michael, John W, MEd, CPO; Rothschild, Russell J, BS; Playfair, George. 1990;3:1:51-4.

Lower-limb pediatric prosthetics: general considerations and philosophy. Cummings, Donald R, CP; Kapp, Susan L, CP. 1992; 4:4:196-206.

PROSTHETICS – Lower Extremity: Foot

Gait analysis and energy cost of below-knee amputees wearing six different prosthetic feet. Barth, Daryl G, BS, CPO; Schumacher, Laura, BS, CP; Thomas, Susan Sienko, BS. 1992;4:2:63-75.

Gait comparisons for below-knee amputees using a Flex-Foot™ versus a conventional prosthetic foot. Macfarlane, Pamela A, PhD; Nielsen, David H, LPT, PhD; Shurr, Donald G, LPT, CO; Meier, Kenneth, CP. 1991;3:4:150-61.

The Lange silicone partial-foot prosthesis. Lange, Lawrence R, CPO. 1991;4:1:56-62.

Perception of walking difficulty by below-knee amputees using a conventional foot versus the Flex-Foot™. Macfarlane, Pamela A, PhD; Nielsen, David H, LPT, PhD; Shurr, Donald G, LPT, CO; Meier, Kenneth, CP. 1991;3:3:114-9.

Practical benefits of Flex-Foot™ in below-knee amputees. Alaranta, H, MD; Kinnunen, A, CPO; Karkkainen, M, MS; Pohjolainen, T, MD; Heliovaara, M. 1991; 3:4:179-81.

Technical note: adaptor for aligning the Quantum foot to an exoskeletal prosthesis. Hamby, William D, RAO; Broom, Richard A, CPO; Olejnik, Stephen, PhD. 1991; 3:3:147-9.

Technical note: interchangeable feet. Price, Art E, CPO. 1991;3:4:201-5.

Technical note: technique for setting up static alignment and permanent attachment of the Syme's-type foot. Childs, Steven R; Childs, Charles W, CPO. 1991;3:3:142-4.

PROSTHETICS – Lower Extremity: Below-Knee

The below-knee bypass prosthesis. Cappa, Anthony J, BS, CPO. 1992;4:3:166-70.

Experience with Endoflex: a monolithic thermoplastic prosthesis for below-knee amputees. Valenti, Thomas G, CO. 1990; 3:1:43-50.

Technical note: an alternative below-knee ultra-lite technique. Swanson, Vern M, CP. 1991;3:4:191-200.

PROSTHETICS – Lower Extremity: Above-Knee

The effect of walking speed on the joint displacement patterns and forces and moments acting on the above-knee amputee prosthetic leg. Hale, SA, MS, CO. 1991;3:2:59-78.

Silicone-only suspension (sos) for the above-knee amputee. Haberman, Louis J, CPO; Bedotto, Robert A, CPO, LPT; Colodney, Ellen J, MD. 1992;4:2:76-85.

Suction sock suspension for above-knee prostheses. Dietzen, Charles J, MD; Harshberger, Jerald, CP; Pidikiti, Rama D, MD. 1991;3:2:90-3.

PROSTHETICS – Lower Extremity: Hip

An endoskeletal hip disarticulation prosthesis for the toddler. Lévesque, Claude, CM, CP(c); Gauthier-Gagnon, Christine, MS(a); Beauregard, Mario, BS. 1991;3:3:120-4.

Technical note: lightweight hip disarticulation prosthesis. Kempfer, Joel J, CP. 1990;3:1:41-2.

PROSTHETICS – Lower Extremity: Adjunct & Assistive Devices

Technical note: a device to assist in the alignment and finishing of the Syme's prosthesis. Brant, James E, BS, CO(c). 1991;3:2:100-5.

Technical note: the anatomical above-knee suspension belt. Swanson, Vern M, CP. 1992;4:2:119-25.

PROSTHETICS – Upper Extremity

Electronic limbs for infants and pre-school children. Brenner, Carl D, CPO. 1992; 4:4:184-90.

Establishing parameters affecting the use of myoelectric prostheses in children: a preliminary investigation. Berke, Gary M, MS, CP; Nielsen, Caroline C, PhD. 1991; 3:4:162-7.

PROSTHETICS – Upper Extremity: Hand

Clinical evaluation of a new design prosthetic prehensor. Procter, Susan, OTR, LeBlanc, Maurice, MSME, CP. 1991;3:2:79-83.

Myoelectric partial-hand prosthesis. Putzi, Robert, CPO. 1992;4:2:103-8.

PROSTHETICS – Materials & Methods

Lower extremity thermoplastics: an overview. Clover, William Jr. 1990;3:1:9-13.

Spectron 12 cable for upper-limb prostheses. Carlson, Lawrence E, DEng; Radocy, Bob, MS; Marschall, Peter D, MBA. 1991; 3:3:130-41.

Technical note: new sterilization procedures for post-operative socks. Field, Martha, MS. 1991;3:3:145-6.

Technical note: thermoplastic use in the geriatric knee-disarticulation prosthesis. Kempfer, Joel J, CP. 1990;3:1:38-40.

A technique for thermoforming hip disarticulation prosthetic sockets. Imler, Clarence, CP; Quigley, Michael, CPO. 1990; 3:1:34-7.

Thermoplastic applications in lower-extremity prosthetics. Schuch, C Michael, CPO. 1990:3:1:1-8.

Thermoplastics in lower-extremity prosthet-

ics: equipment, components and techniques. Pritham, Charles H, CPO. 1990;3:1:14-21.

Ultra-lite multiplex Mark V modular system utilizing the ultra-lite retainer kit. Leal, Joseph M, CP. 1990;3:1:26-33.

Use of copolymer for interfaces in all levels of prosthetic applications. Rosenberg, Richard J, CPO; Terry, Robert. 1990;3:1:22-5.

PROSTHETICS – Education

Psychosocial considerations in pediatrics: use of amputee dolls. Svoboda, Jennifer, BS. 1992;4:4:207-12.

A survey of amputees: function level and life satisfaction, information needs and the prosthetist's role. Nielsen, Caroline C, PhD. 1991;3:3:125-9.

PROSTHETICS – Patient Care Management

Caring for children with orthotic/prosthetic needs. Novotny, Mary, MS, RN; Swagman, Ann, MPH, CPNP, RN. 1992;4:4:191-5.

Caveat emptor? Baughn, Bill. 1992;4:4:180-1.

Myoelectrics for infants: Sine qua non? Leingang, Alan F. 1992;4:4:181-3.

New technology and the status quo. Dillon, Stephen S. 1992;4:4:178-80.

The progress of science. Michael, John W, MEd, CPO. 1992;4:4:177.

Prosthetic/orthotic management after recent hemipelvectomy for a myelomeningocele patient. Moretto, David F, BS, CP; Minkel, Jean L, MS, PT; Cardi, Mary D, MS, PT. 1992;4:2:93-102.